


0001-BMB1ROSE-032022

Batch ID:	1	Test ID:	T000199895
Type:	Unit	Submitted:	03/25/2022 @ 10:54 AM
Test:	Potency	Started:	3/28/2022
Method:	TM14 (HPLC-DAD)	Reported:	3/29/2022

CANNABINOID PROFILE



Compound	LOQ (mg)	Result (mg)	Result (mg/g)
Delta 9-Tetrahydrocannabinolic acid (THCA-A)	6.67	ND	ND
Delta 9-Tetrahydrocannabinol (Delta 9THC)	7.53	ND	ND
Cannabidiolic acid (CBDA)	8.10	ND	ND
Cannabidiol (CBD)	7.90	116.81	0.8
Delta 8-Tetrahydrocannabinol (Delta 8THC)	8.29	ND	ND
Cannabinolic Acid (CBNA)	4.75	ND	ND
Cannabinol (CBN)	2.17	ND	ND
Cannabigerolic acid (CBGA)	6.96	ND	ND
Cannabigerol (CBG)	1.67	ND	ND
Tetrahydrocannabivarinic Acid (THCVA)	5.89	ND	ND
Tetrahydrocannabivarin (THCV)	1.51	ND	ND
Cannabidivarinic Acid (CBDVA)	3.38	ND	ND
Cannabidivarin (CBDV)	1.87	ND	ND
Cannabichromenic Acid (CBCA)	2.68	ND	ND
Cannabichromene (CBC)	2.93	ND	ND
Total Cannabinoids		116.81	0.8
Total Potential THC**		ND	ND
Total Potential CBD**		116.81	0.8

% = % (w/w) = Percent (Weight of Analyte / Weight of Product)

* Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.

** Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step.

$$\text{Total THC} = \text{THC} + (\text{THCa} * (0.877)) \text{ and}$$

$$\text{Total CBD} = \text{CBD} + (\text{CBDa} * (0.877))$$

ND = None Detected (Defined by Dynamic Range of the method)


NOTES:

of Servings = 1, Sample Weight=155g

FINAL APPROVAL


 Rvan Weems
 29-Mar-2022
 4:49 PM

PREPARED BY / DATE


 Daniel Weidensaul
 29-Mar-2022
 4:53 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.02



Certificate #4329.02


CERTIFICATE OF ANALYSIS

Prepared for:

Blazy Wellness LTD6750 E 46TH AVENUE DR STE 600
DENVER, CO USA 80216-3454**Bath Bomb Rose | 0001-BMB1ROSE-032022**

Batch ID or Lot Number: 1	Test: Heavy Metals	Reported: 23Mar2022	USDA License: NA
Matrix: Unit Co	Test ID: T000198192	Started: 22Mar2022	Sampler ID: NA
	Method(s): TM19 (ICP-MS): Heavy Metals	Received: 17Mar2022	Status: NA

Heavy Metals	Dynamic Range (ppm)	Result (ppm)	Notes
Arsenic	0.05 - 4.69	ND	
Cadmium	0.05 - 4.81	ND	
Mercury	0.05 - 4.68	ND	
Lead	0.04 - 4.47	0.31	

Final ApprovalKayla Phye
23Mar2022
11:03:00 AM MDT

PREPARED BY / DATE

Ryan Weems
23Mar2022
11:06:00 AM MDT

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/af0c93cb-e121-4550-a4f8-c3ae12e2793a>**Definitions**ND = None Detected (defined by dynamic range of the method)
Dynamic Range = Limit of Quantitation (LOQ) through Upper Limit of Method Range

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/ IEC 17025:2005 Accredited A2LA.



Cert #4329.02



CDPHE Certified



af0c93cbe1214550a4f8c3ae12e2793a.1

CERTIFICATE OF ANALYSIS

Prepared for:

Blazy Wellness LTD


 6750 E 46TH AVENUE DR STE 600
 DENVER, CO USA 80216-3454

Bath Bomb Rose | 0001-BMB1ROSE-032022

Batch ID or Lot Number: 1	Test: Microbial Contaminants	Reported: 21Mar2022	USDA License: N/A
Matrix: Finished Product	Test ID: T000198191	Started: 18Mar2022	Sampler ID: N/A
	Method(s): TM25 (qPCR) TM24, TM26, TM27 (Culture Plating): Microbial (Colorado Panel)	Received: 17Mar2022	Status: N/A

Microbial
Contaminants

	Method	LOD	Quantitation Range	Result	Notes
STEC	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	Free from visual mold, mildew, and foreign matter
<i>Salmonella</i>	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	
Total Yeast and Mold*	TM24: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	
Total Aerobic Count*	TM26: Culture Plating	10 ² CFU/g	1.0x10 ³ - 1.5x10 ⁵	None Detected	
Total Coliforms*	TM27: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	

Final Approval


 Jackson Osaghae-Nosa
 21Mar2022
 04:05:00 PM MDT



 Brett Hudson
 21Mar2022
 04:30:00 PM MDT


PREPARED BY / DATE

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/c475d548-36a1-4d56-b004-679b0671db5e>
Definitions

* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples: 10² = 100 CFU, 10³ = 1,000 CFU, 10⁴ = 10,000 CFU, 10⁵ = 100,000 CFU
 CFU/g = Colony Forming Units per Gram, LOD = Limit of Detection
 ULOQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation
 STEC = Shiga Toxin-Producing E. coli

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/ IEC 17025:2005 Accredited A2LA.



Cert #4329.02

CDPHE Certified

[c475d54836a14d56b004679b0671db5e.1](https://results.botanacor.com/api/v1/coas/uuid/c475d548-36a1-4d56-b004-679b0671db5e)


Prepared for:
Blazy Wellness LTD
 6750 E 46TH AVENUE DR STE 600
 DENVER, CO USA 80216-3454

Bath Bomb Rose | 0001-BMB1ROSE-032022

Batch ID or Lot Number: 1	Test: Pesticides	Reported: 23Mar2022	USDA License: NA
Matrix: Concentrate	Test ID: T000198190	Started: 22Mar2022	Sampler ID: NA
	Method(s): TM17 (LC-QQ LC MS/MS)	Received: 17Mar2022	Status: NA

Pesticides	Dynamic Range (ppb)	Result (ppb)	Pesticides	Dynamic Range (ppb)	Result (ppb)
Abamectin	268 - 2628	ND	Malathion	301 - 2717	ND
Acephate	54 - 2782	ND	Metalaxyl	53 - 2710	ND
Acetamiprid	56 - 2751	ND	Methiocarb	51 - 2763	ND
Azoxystrobin	54 - 2689	ND	Methomyl	54 - 2771	ND
Bifenazate	50 - 2707	ND	MGK 264 1	155 - 1660	ND
Boscalid	44 - 2790	ND	MGK 264 2	114 - 1142	ND
Carbaryl	52 - 2744	ND	Myclobutanil	50 - 2756	ND
Carbofuran	52 - 2726	ND	Naled	59 - 2805	ND
Chlorantraniliprole	66 - 2748	ND	Oxamyl	51 - 2756	ND
Chlorpyrifos	59 - 2643	ND	Pacllobutrazol	54 - 2716	ND
Clofentezine	285 - 2738	ND	Permethrin	298 - 2709	ND
Diazinon	294 - 2695	ND	Phosmet	54 - 2702	ND
Dichlorvos	282 - 2748	ND	Prophos	309 - 2770	ND
Dimethoate	54 - 2756	ND	Propoxur	50 - 2736	ND
E-Fenpyroximate	277 - 2686	ND	Pyridaben	298 - 2676	ND
Etofenprox	56 - 2658	ND	Spinosad A	44 - 2252	ND
Etoxazole	302 - 2677	ND	Spinosad D	48 - 489	ND
Fenoxycarb	54 - 2703	ND	Spiromesifen	275 - 2696	ND
Fipronil	54 - 2817	ND	Spirotetramat	296 - 2690	ND
Flonicamid	61 - 2793	ND	Spiroxamine 1	21 - 1186	ND
Fludioxonil	300 - 2776	ND	Spiroxamine 2	28 - 1572	ND
Hexythiazox	52 - 2687	ND	Tebuconazole	301 - 2706	ND
Imazalil	283 - 2724	ND	Thiacloprid	55 - 2739	ND
Imidacloprid	66 - 2751	ND	Thiamethoxam	54 - 2767	ND
Kresoxim-methyl	55 - 2730	ND	Trifloxystrobin	53 - 2758	ND

Final Approval


 Sam Smith
 23Mar2022
 03:24:00 PM MDT
 PREPARED BY / DATE


 Daniel Weidensaul
 23Mar2022
 03:45:00 PM MDT
 APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/2fdef0f8-33f6-4177-9819-4ce712910de3>

Definitions
 ND = None Detected (defined by dynamic range of the method)
 Dynamic Range = Limit of Quantitation (LOQ) through Upper Limit of Method Range
 ppb = Parts Per Billion

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/ IEC 17025:2005 Accredited A2LA.



Cell #4329.02
 2fdef0f833f6417798194ce712910de3.1

CERTIFICATE OF ANALYSIS


Prepared for:
Blazy Wellness LTD
 6750 E 46TH AVENUE DR STE 600
 DENVER, CO USA 80216-3454

Bath Bomb Rose | 0001-BMB1ROSE-032022

Batch ID or Lot Number: 1	Test: Residual Solvents	Reported: 23Mar2022	USDA License: N/A
Matrix: Concentrate	Test ID: T000198193	Started: 23Mar2022	Sampler ID: N/A
	Method(s): TM04 (GC-MS): Residual Solvents	Received: 17Mar2022	Status: N/A

Residual Solvents	Dynamic Range (ppm)	Result (ppm)	Notes
Propane	96 - 1924	ND	
Butanes (Isobutane, n-Butane)	194 - 3871	ND	
Methanol	64 - 1286	ND	
Pentane	100 - 2005	ND	
Ethanol	101 - 2014	ND	
Acetone	106 - 2113	ND	
Isopropyl Alcohol	107 - 2136	ND	
Hexane	7 - 131	ND	
Ethyl Acetate	107 - 2145	ND	
Benzene	0.2 - 4.3	ND	
Heptanes	105 - 2090	ND	
Toluene	19 - 381	ND	
Xylenes (m,p,o-Xylenes)	134 - 2679	ND	

Final Approval



Ryan Weems
 23Mar2022
 05:50:00 PM MDT

PREPARED BY / DATE



Daniel Weidensaul
 23Mar2022
 05:51:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/bacdeb06-99c2-494f-ae98-8e181ae11720>

Definitions

ND = None Detected (defined by dynamic range of the method)
 Dynamic Range = Limit of Quantitation (LOQ) through Upper Limit of Method Range

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/ IEC 17025:2005 Accredited A2LA.



Cert #4329.02

CDPHE Certified

bacdeb0699c2494fae988e181ae11720.1